

# Emotion and Interface Design

## How to measure interface design emotional effect?

LOCKNER Damien<sup>1</sup>, BONNARDEL Nathalie<sup>2</sup>

<sup>1</sup> Aix Marseille Université, PSYCLE EA 3273, France, [damien.lockner@etu.univ-amu.fr](mailto:damien.lockner@etu.univ-amu.fr)

<sup>2</sup> Aix Marseille Université, PSYCLE EA 3273, France, [nathalie.bonnardel@univ-amu.fr](mailto:nathalie.bonnardel@univ-amu.fr)

**Abstract:** Traditionally, human-computer interaction is conceived and assessed through the restrictive scope of usability. Although this approach has led to an overall improvement of the interfaces ease-of-use, it should now be overstepped. The question of the positive affect of users has become crucial for the interface project stakeholders. Our research is mostly turned towards applied perspectives. Our general hypothesis is that design strategies may affect positively the user, and influence a better attractiveness of the interface. In this paper, our objective is to present and discuss a method to measure user's emotion during an interface interaction experience. The experimental setup gathers screen records, face recognition, galvanic skin response, and questionnaires. These complementary sources bring forward the behavioral, physiological, and subjective emotional responses of the user. We discuss how these resources can be used in order to measure the emotional effect of a specific user interface.

**Keywords:** Emotion assessment, interface-design, cognitive psychology.

## 1. INTRODUCTION

In the area of user interface design, during numerous years, it was advocated to apply a user-centered approach, putting forward ergonomic recommendations, or "golden rules" (Norman, 2002; Shneiderman, 2005). These recommendations tended to focus on users' cognitive and perceptual-motor abilities, seeking for an ever-reduced cognitive load required by tasks and interactions. Thus, human-computer interaction is traditionally conceived and assessed through the restrictive scope of usability (Bastien & Scapin, 1993) rather than based on what users felt when interacting with a system. Although this approach has led to an overall improvement of the interfaces ease-of-use, it should now be overstepped. Therefore, nowadays, humans and their interactions with systems are increasingly being studied. For instance, Don Norman suggests to analyze three different levels related to interface use: "knowing, doing and feeling" (Norman, 2005). Moreover, in recent years, the

"feeling" level has become a popular research topic in cognitive science and the science of design. When developing new products or systems, designers have to come up with design solutions that are both novel and adapted to their future users (Shneiderman, 2004; Bonnardel, 2012). Towards this end, designers have to take into consideration other dimensions than the ones related to the "usability". Especially, new systems must also inject a little fun and pleasure into people's lives (Norman, 2002). Thus, in addition to their functional characteristics, interactive systems must be regarded as conveying feelings through interfaces' design features. The question of the feelings of users – preferentially associated to positive emotions or affects - has become crucial for the interface project stakeholders. This new field of research is related to two general objectives:

- Understanding users' emotional processes;
- Understanding how to arouse conscious or unconscious emotion through an interface.

Therefore, our objective in this paper is to present and discuss a method to measure user's emotions during an interface interaction experience. Towards this end, we first define this concept and point out its characteristics in the context of user interface design. Then, we present a method that we suggest for measuring emotions in the context of interface use. This method will then be evaluated. Our results contribute to the definition of a reference-protocol pinpointing interaction and design features eliciting the user's affect. This protocol will then be used in the context of a software called SKIPPI, which aims to favor designer's creativity. PSYCLE participated to the project by analyzing end-users needs and representations, and by providing requirements for the SKIPPI application design. These studies questioned the emotional effect of the interface, in regards to the emotional value of the displayed content. A protocol of evaluation had to be drawn up in order to distinguish the emotional value of the interface design.

### **1.1. Defining emotion**

To conceive an effective emotional assessment system, a first step is to understand the nature of emotion. In this section, we focus on the main models aiming at describing the emotional phenomena from the psychological domain.

A variety of approaches of emotional phenomena has been proposed in different fields of psychology: phenomenological, behaviorist, physiological, cognitive approaches (Strongman, 2003). Although no real consensus was established, recent models of emotions are based on the notion of appraisal, put in light by Arnold (1945), and Schachter (1959): a cognitive process is required to evaluate a stimulus in order to give rise to emotions. Following this view, the appraisal processes two components, internal and external (Mandler, 1982; Desmet, 2003; Scherer, 2005). This latter external component corresponds to the stimulus' features, whereas the internal component refers to the individual's past experiences and expectations. The sequence of fast but complex evaluations builds the relevancy of the stimulus (Frijda, 1986, Scherer & Tannenbaum, 1986), and prepares the user to react. This reaction may be expressed by cognitive, behavioral and physiological changes (Gil, 2009).

An example would make these notions clearer. At a railway entrance, escalators are located next to the traditional stairs, leading to the upper platforms. Usually, most public use the escalators, because they require less effort and less time. They are more efficient, therefore more usable, and this view is strengthened by our experiences. In 2009, a temporary art installation was setup in one of these stairs in a Stockholm subway (The fun theory, 2009). At night, the stairs steps had been covered in white and black, so that the overall stairway looked like a piano keyboard. The next morning, a first subway user noticed the change: a new cognitive evaluation was performed as the environment was unusually different. The user identified the external features of the painted stairs,

and compared them to his internal passed experiences; he identified a stairway to go upstairs, and a keyboard to play piano. This incongruity generated an emotion: surprise, leading to a desire to know more, curiosity. His heart rate increased a little (physiological reaction), and, smiling, he walked towards the piano stairway (behavioral reaction). As he walked up the stairs, the user heard the sound of the piano notes matching his steps. The artist had developed the metaphor further, increasing the incongruity effect, and the pleasure for the users. Some of the users played with the piano stairs, running up and down. Finally, although it was less efficient and usable than the escalators, most of the users chose the piano-stairs that day.



**Figure 1:** The piano-stairs: how emotional design can influence users behaviors

This example demonstrates how a positive experience may influence the users behaviors, beyond the actual usability of the interface. Preferences and decisions being based on affect (Vakratsas & Allen, 1999; Sanabria, Cho, Sambai, & Yamanaka, 2012), we perceive the relevancy of the appraisal notion for our study as a way to better guide the users towards an objective.

Scherer (2005) defined the emotion as being a relatively intense affective experience, whose cause is clearly identified, and which does not last very long. If the emotion leads to an action tendency, then Scherer defines it more precisely as an 'utilitarian emotion' (anger, fear, joy, disgust), whereas an 'aesthetic emotion' (such as admiration, ecstasy, fascination), would not lead to action.

Two main streams can be drawn to define emotion: a dimensional perspective and a discrete perspective.

This latter discrete perspective views emotions as a sum of categories, which can possibly be intersected or intensity-faded to get finer sub-categories. Several models were proposed, where the number of basic and global emotions varied. For instance, Plutchick (1980) considers eight primary emotions (joy/sadness, trust/disgust, fear/anger, surprise/anticipation), based on their ability to trigger a fight-or-flight behavior. These discrete models are quite popular, especially in the design field, because they are easily linkable to the 'folk psychology': most common vocabulary terms standing for different emotions are localized into discrete model schemes, making them easy to handle. This may constitute an advantage in certain conditions.


However, certain drawbacks were pinned on these discrete models. Numerous studies show that an emotion may be difficult to categorize (Barrett & Wager, 2006). A term-based categorization would imply to share a same cultural and language background. In the same view, it would imply to skip any inter-individual variation in the interpretation of the meanings of the terms. By definition, a discrete model limits the potential number of emotions, disallowing any deeper and more accurate identification and inducing biases.



As stated above, the appraisal process resulting to the emotion is also fed by internal factors, such as user's passed experience, cultural background, concern and involvement with the task. Thus, the interface design, resulting from designers' work, is only one of the many variables eliciting end-users' emotions.

Desmet (2003) proposed a four components "basic model of product emotions": the emotion (1) results from an appraisal process (2), based on user's concern (3), and product's features (4). For Desmet (ibid.), user's "concern" stands for the individually perceived utility, this perception being potentially affected by personality traits. Desmet adds that the product component is not always the direct stimulus of the emotion; the product may also elicit thoughts which are the actual stimuli. This view is in line with Norman's proposal (2004), who distinguishes three emotional levels of the user affect with regard to a product: visceral, behavioral and reflective. The first visceral level is a direct gut feeling, whereas the two other levels are based upon the user's consideration over the interaction (behavioral), or a more social/intellectual judgment (reflective).

Considering the specificities of interface design as a product, our study requires to sharpen the "product" component. Therefore, we propose another model that highlights some specificities of an interface as a product of design (Figure 3).



**Figure 3:** Model of user interface emotion

In this figure, the user's profile (internal) constitutes the baseline upon which the current interface (external) is appraised to give rise to emotions. In this view, this diagram matches the two internal/external components processed by the appraisal leading to emotions, as stated earlier. The diagram is also compatible with the "concern/product" dichotomy from Desmet's model.

Here, however, the "product" component is replaced by the label of "user interface experience". Two main considerations were taken into account for this change. First, the notion of "experience" refers to a continuous interaction with the product, implying ever-evolving changes of the system values. Second, our study focuses on "user interface". The specificities of screen-based interactive product lead us to distinguish three specific components, each of them constituting stimuli eliciting user's emotions:

- The "content" stands for the information and data to be communicated to the users. It gathers textual elements (e.g. titles, articles), pictorial elements (e.g. photographs, illustrations, and diagrams), videos, music. Typically, content is created by redactors, whereas the interface is defined by designers.
  - The "interface design" stands for the layout and presentation strategies of the content and the functionalities. We refer to "information design" for information display strategies, and to "interaction design" for ways users interact with the interface, including the embedded functions.
  - The "task" refers to the purpose of the interface which has to be handled by any users (search, read, compare, calculate, organize...). Performing this task may induce an emotion.
- These three items define the user interface experience, and are closely related.

The "user's profile" refers to the specificities of the user, at the moment of the interaction. This item could potentially gather numerous inter-individual variables, such as cultural background, previous knowledge related to the content (brand, images, related articles...), to the interaction modes, user's personality, mood...

The user interface experience, considered as a global external stimulus is therefore assessed through the user's profile's internal scope, eliciting the emotion. This global process should be considered as continuous and iterative. The user's emotion contributes to the evaluation of the overall interface experience. It may affect the perceptions of the content, of the task, and slightly change the user's profile.

Indeed, these changes constitute the designer's goals, aiming at influencing the users' actions and behaviors.


## **2. EXPERIMENT**

### **2.1. Specific objectives, participants and experimental conditions**

Our first objective was to test the reliability of the chosen experimental setup to record the user's emotion during an interface usage episode.

Then, we wanted to test the sensitivity of this setup towards different interface design variations.

Eight participants, French native speakers, two males, six females, from 18 to 30 years old took part in the experiment. They were distributed randomly into two groups (see Figure 4).



**Figure 4:** Experimental conditions overview

To pursue the first objective, we provided users with twelve images with strong high/low or neutral valence. These images were issued from the GAPED image base (Dan-Glauser & Scherer., 2010), validated worldwide. User's emotions were recorded during and after each image.

To pursue the second objective, we provided users with two different interfaces: UX type A and UX type B. Either type was compounded of four pages displaying a text, a picture, and a simple navigation bar. As we wanted to measure the effect of the interface design alone, excluding the task's and content's effects (Figure 3), content items alone were provided in a first stage. Nine items (four images, four text, one navigation bar) were therefore sequentially displayed. During and after each item display, user's emotions were recorded.

Thus, we assumed that the difference between the overall UX elicited emotion, and the content elicited emotion, stood for the interface design impact.

$$[\text{UX emotion}] \times [\text{User profile}] = ([\text{content emotion}] + [\text{interface design emotion}] + [\text{task emotion}]) \times [\text{User profile}]$$

$$[\text{interface design emotion}] = [\text{UX emotion}] - [\text{content emotion}]$$

We also considered that the task of watching and reading would similarly impact the results whether the content was provided individually or within an interface design.

However, it is not possible to successively provide a user with two different interface versions for a same content in order to compare the interface effect. The discovering impact of the first pass

would necessarily bias the second pass' perception. Therefore, two different contents were provided and balanced among two groups.

The Gaped image sources were assumed to convey a stronger valence, inducing a higher and longer emotional impact upon users, than the interface design stimuli. Therefore, we decided to pursue the first objective after to the second one.

Finally, in order to assess individual emotional baselines, three surveys were provided as a first stage, scoring mood, well-being and stress.

## **2.2. Material and setup**

In this section, we present a set of methods and technics chosen to presumably fit the experimental conditions requirements.

- Methods to assess users emotions, considering a long lasting and low intensity stimulus.
- A set of surveys in order to assess individual emotional baselines
- The interfaces used as stimuli to elicit emotions

Several pretests were set up in order to check the good understanding of the provided instructions by the users. Technical tests were also required to validate the monitoring and the synchronicity of the various recording sources.

### **2.2.1. Emotion assessment**


We considered that measuring users' emotion requires to associate emotional states with at least cognitive and physical changes. These changes may be readable through three components: physiological, behavioral and cognitive (Gil, 2009).

Numerous studies have used physiological measurement and suggest that it constitutes a reliable method to assess users' emotional state. However, low arousal and long lasting stimuli such as user interaction are less present than stronger punctual stimuli. The galvanic skin response (GSR) is compatible with a continuous monitoring during the use experiment. It can also be considered as an objective measure over which the user has no control. The method that we proposed first relies on a monitoring of the variation of the skin conductance of the user, which indicates a change of activation. Typically, a punctual stimulus getting user's attention will result into the recording of a fall of the skin resistance level between one and five seconds after the stimulus occurred, and getting progressively back to normal. The drawback of the methods is a sensibility to external factors, generating non specific responses (NSR) and artefacts. Rest periods are therefore necessary in the stimuli presentation sequence when a precise identification of the eliciting event is required. In the specific context of an interface usage, the stimuli are long lasting. Therefore, we considered all the falls detected during the stimulus exposure as being relevant. A rest period of 15 seconds was setup between each stimulus presentation. We recorded the mean skin resistance, the number of falls, and falls amplitude. There is no normative reference for GSR measurement, with very large inter-individual differences being reported. Therefore, we use the GSR score to compare the effect of different stimuli, at a different time on the same individuals.

We also decided to analyze the behavioral component of users' emotions by analyzing changes on the user's face. This technic is inspired by the facial action coding system (FACS) (Ekman, 1970), analyzing 69 "action units" of face's muscles patterns, head orientation, and eyes gaze. Noldus' Facereader (Noldus, n.d) was developed in order to automate such analyses. The software performs a frame by frame analysis, and detects over 500 key points on the face. The resultant pattern is distributed among seven categories of emotion: neutral, happy, sad, angry, surprised, scared, and disgusted. The system was trained over 10000 manually annotated images. A valence score is


calculated as the difference between the happiness score, and the highest negative emotion score. Face analysis provides a continuous monitoring. The measurement can be considered as objective with the limitation of the potential user's conscious control of his face.

Finally, in the method we proposed, we measured the cognitive component through two systems of questions. The first one is the Geneva emotion wheel (GEW), which was developed following Scherer's emotional model (figure.2). A set of twenty emotion labels are arranged in a circle. Each label can be rated according to its intensity using a five points scale, from the center of the circle to its periphery. A drawback of using a label-based system lies in the limitation of the provided set of terms. Moreover, Scherer added a free response area, where the user may choose a word which better fits his feeling. The user may also indicate that no emotion was felt.



**Figure 5:** Screen capture of the GEW

Another drawback of label-based questionnaires lies in the necessary interpretation by the user of the label meaning. This may lead to different understandings of a same term among participants. Therefore, the second questionnaire we propose to use is the self-assessment manikin (SAM, Bradley & Lang, 1994). This questionnaire is composed of three scales, matching the three dimensions of the valence arousal dominance system. These scales make use of a pictures-based representation of emotional values. The questionnaire is therefore compatible with a wider range of population (children, participant of different languages or cultural background).



**Figure 6:** Screen capture of the SAM

Clickable screen versions of these two systems of questions were replicated for the purpose of the experiment (figures 5 and 6).

During pretests, some users did not fully understand how to use these questionnaires, especially when the initial textual instructions were partially read. Therefore, a video demonstration with voiced explanation was set up and these difficulties were successfully solved.

#### 2.2.2. Mood, well-being and stress baselines assessment

Three surveys were also chosen in order to detect any exception or feature in the individual emotional baselines (Jolland, 2012) . Brief Mood Introspection Scale (Mayer & Gaschke, 1983) has been widely used to assess participants' mood (Baumeister, Bratslavsky, Murayen & Tice, 1998, Halberstadt, Niedenthal, & Kushner, 1995, Kokkonen & Pulkkinen, 2001), and was therefore chosen for this study.. The psychological well-being expression scale (Massé, Poulin, Dassa, Lamber, Bélair & Battaglini, 1998), is a four points Likert scale based on seventeen statements related to the user's emotional expressions during the last month. Stress was assessed by the Lafleur & Béliveau (1994) survey, composed of 109 items matching a large variety of psychic and physic stress symptoms.

#### 2.2.3. Stimuli for measuring users' emotions

To pursue the first objective, we needed to use images acknowledged for their emotional impacts. Thus, we referred to the GAPED (Geneva Affective PicturE Database, Dan-Glauser & Scherer, 2010), a set of 730 pictures, rated among valence and arousal and validated worldwide. We selected the four images with the highest, lowest, and closest to zero valence score were selected to constitute a set of 12 images for this experiment.

The content used for the interactive mockups was related to two movies: "Le Mépris" for the content type A, and "Mulholland Drive", for the content type B. Texts and images were retrieved over the Internet from royalty free sources. Movies were chosen as a support of emotional content to present consistent text and images on a multiple pages sequence. The content provided differs between the two movies. "Le Mépris" (1963) was less likely to be known by participants than "Mulholland Drive" (2001). The content structure also differs. The text chosen for "Le Mépris" present a more abstract thematic approach of the movie whereas the "Mulholland Drive" article is closer to a story. "Mulholland Drive" was also chosen because of the specific atmosphere of the content, and for the picture colors which could be associated to a vivid colors interface design.

In the actual experimental setup, the “Mulholland Drive” type B interface (Figure 7) provides:

- a global layout composed in accordance with the golden section;
- a color background, matching the colors of the picture;
- a no-margin picture
- a centered title, with a larger font-size
- an animated page transition
- a fading-color effect on the navigation bar buttons




Figure 7: Screen captures of the pages (type A on the left, type B on the right)

### 3. ANALYSES, RESULTS AND DISCUSSION

Two computers were used to record the data, synchronized by their local time. Users interactions timestamps, as well as questionnaires answers were recorded in a MySQL database. A PHP script delivered a result score for each user for the mood, well being and stress levels. The users' results were successfully checked by a normal distribution analysis.

Electrodermal activity was computed using Biopac AcqKnowledge 4.1. following the recommendations provided by Braithwaite, Watson, Jones & Rowe (2013). However we decided not to reject any SCR of low amplitude considering the long lasting and low intensity stimuli.

Facereader automated routine generated a 25 Hz valence score.


These data sources were compiled and synchronized using The Observer XT 11 from Noldus. Using this software, results were associated to the corresponding stimuli.

#### 3.1. Findings related to objective 1


In this section, we present and discuss the ability of the experimental setup to measure a user's emotion. Twelve images were presented to the users from the GAPED base, four negative, four neutral, four positive images. We compare the actual results measured by the experimental setup, to the expected value given by the GAPED.

### 3.1.1. Results based on questionnaires

The answers to the questionnaires are consistent with the emotional value of the GAPED images. The GEW clearly presents a split between negative emotions for negative images (in red), and positive emotions for positive images (in green). Moreover, neutral images are located at the center of the diagram. However, the neutral images slightly tends towards sadness and compassion. A consistent explanation would be that these images induce a low activation, as shown by the SAM questionnaire, and in accordance with Scherer’s model of emotion (Figure 2). All the activation levels are negative: the participants feel calm. The SAM is also clearly relevant for the valence level. However, the dominance measurements do not show any major distinctions. Although many studies dismiss this item from the SAM questionnaire, this result could be explained by the lack of interactions with the stimuli.



**Figure 8:** Participant’s answers to the GEW questionnaire during the GAPED phase (means per image)




**Figure 9:** Participant’s answers to the SAM questionnaire during the GAPED phase (means per image)

Therefore, these two questionnaires seem relevant and complementary to record subjective emotional feedbacks from users. However, the picture-based stimuli used in this section are


presumably of higher arousal than an usual interface design, and these inferences should be handled carefully.

### 3.1.2. Results based on FaceReader analyses

FaceReader is a software featuring an automated detection of participant’s emotion from a video analysis. The results per image and participant (Figure 10) present a large dispersion. And more, no consistent pattern is distinguishable among participants, which could have explained a potential inter-individual difference. By calculating a mean per valence group (Figure 11), a slightly trend can be observed matching the expected results. However, the values are much less distinctive than the expected GAPED scores. Therefore, it seems difficult to use FaceReader in that context.



**Figure 10:** Valence score per image and per participant




**Figure 11:** Mean valence score per image group

The difficulties met with FaceReader should however be confirmed in further studies. A frame by frame manual monitoring in order to detect miss-leading in the face identification should be added to the protocol, as it may happens with barbed users, and hands on face gestures. Otherwise, during later interviews, some users declared that they could have “laughed on the other side of their face”, their reaction being more elicited by the succession of extreme images than by their actual content.

### 3.1.3. Results based on electrodermal activity

Our results did not match our expectations, as nearly no skin conductance variation had been recorded during the exposure to the GEW pictures. We also observed this during the ‘Objective 2’ phase.



**Figure 12:** GSR results during questionnaires & resting periods

\* Partial records for users 1 and 2, no records for user 3

In fact, we noticed that most of the detected GSR falls were taking place outside of the stimuli periods. Most of these periods match a stronger activity of the participants: they work at answering questionnaires. Some other activity periods match waiting phases: these waiting screens were setup in order to obtain a baseline for the EDA recording of the following stimulus. Paradoxically, these periods were sometimes used by the participants to relax and stretch during the 40 minutes experiment.

These results mean that the provided task (watching a picture, reading a text, or both), generates much less activation than the task of answering questionnaires about emotions. This low activation impact of the provided pictures is consistent with the SAM questionnaire results.


Therefore, we will not dismiss the GSR method for our next studies, as it may be relevant to measure the impact of the user experience generating activation, particularly the task component, and presumably the interaction design sub-component (figure 2).

## 3.2. Findings related to objective 2


The ‘Objective 1’ phase of our experiment consisted of presenting GAPED pictures, whose valence score is known, to users in order to assess the efficiency of several emotional measurement methods. This phase presented the GEW and the SAM questionnaires as being relevant and complementary to express users’ emotions. However, the Face Reader results were not satisfying. The GSR did not prove to be useful in the specific context of this experiment. Therefore, questionnaires only will be selected to pursue our second objective.

In this ‘Objective 2’ phase, two different interfaces were presented to the users. Our objective is to determine whether the method we used is efficient enough to distinguish differences in the emotions possibly conveyed by two different interface designs. Following our earlier statement, the interface effect can be estimated as the difference between the overall experience effect, and the effect elicited by the content only.

The following diagrams present the effect produced by the content alone (blue and green), and the overall effect (red), for two different interfaces (type A and type B).



**Figure 13:** Participant's answers to the questionnaires, design type A on the left, design type B on the right. The following diagrams present a comparison of the resultant interface design effects depending on the two types of design:



**Figure 14:** Comparison of emotions produced by two different interfaces

These results show that the type B interface is perceived as being more fun, and slightly more pleasurable than the type A interface. The two questionnaires lead to a similar interpretation on this point. Both interfaces elicit a similar level of contentment. The activation and dominance levels are higher with the type B interface.

These results are confirmed by the terms chosen by the users to describe their experience with the two interfaces during the short interview at the end of the experiment.

**Table 1:** Emotional terms used by the participants to describe the two interfaces

	User 1	User 2	User 3	User 4	User 5	User 6	User 7	User 8
<b>Type A</b> white		Neutral	Neutral	-		-		More tiring
<b>Type B</b> colorful golden section animation	More attractive, pleasant, friendly.	More friendly Too flashy Attacked	Nicer More positive	-	More implication, and interest. Motivating	-	Better Pleasurable	More attractive, much more pleasure

These results are consistent with previous studies. Interface color lead to a better attractiveness, and may influence cognitive performance (Bonnardel, Piolat & Le Bigot, 2011; Cyr, Head, & Larios, 2010). The higher activation and dominance levels of the type B interface could also be explained by its animation features.

Therefore, the GEW and SAM questionnaires seem to provide an accurate way of assessing the emotional impact of both the content and the overall experience. Moreover, the tested process of indirect measurement of the interface design effect lead to consistent results.

#### 4. CONCLUSION

Emotional design has become a crucial issue for interface designers. However, most of designers' practices are empirical, and methods are required to better assess the emotional effect of an interface design. In this paper, we tested several assessment methods considering the specificities of an interface design: a continuous and changing stimulus, eliciting low-intensity emotions. Moreover, we detailed a user interface emotion model, specifying the role of the design among other components. We proposed a method to measure the emotional effect of this specific component.

Our first results showed that some usual emotion assessment methods were not adapted to the specific context of an interface user experience. Face behavioral does not seem to be a reliable source. The analysis of the electrodermal activity did not provide any insights for our experimental mockups. However these results should be relativized as secondary results orientate its adequacy towards more developed interactions, and higher level tasks. On the other hand, SAM and GEW questionnaires, even if asynchronous and subjective, allowed us to distinguish the emotional effects of the two different interfaces.

These findings will supplement further works in order to specify an emotional assessment protocol fitting the interface design particularities. This method will then contribute to measure and compare the emotional effect of various interface design solutions.

## ACKNOWLEDGMENTS

This work is supported by the French national research agency (ANR) under the SKIPPI research project. We thank very much Carole Bouchard and Vincent Rieuf (LCPI) for their supportive role in this work.

## REFERENCES

- Allen, C. T., Machleit, K. A., & Marine, S.S. (1988). On Assessing the Emotionality of Advertising via Isard's Differential Emotions Scale. *Advances in Consumer Research*, 15, 226-231.
- Arnold, M. (1945). Physiological differentiation of emotional states. *Psychological Review*, 35-48.
- Barrett, L. F., & Wager, T. (2006). The structure of emotion: Evidence from the neuroimaging of emotion. *Current Directions in Psychological Science*, 15, 79-85.
- Bastien, J.M.C., Scapin, D. (1993). *Ergonomic Criteria for the Evaluation of Human-Computer Interfaces*. INRIA, France
- Baumeister, R. F., Bratslavsky, E., Muraven, M., & Tice, D. M. (1998). Ego depletion: Is the active self a limited resource? *Journal of Personality and Social Psychology*, 74, 1252-1265.
- Bradley, M. M., & Lang, P. J. (1994). Measuring Emotion: The Self-Assessment Manikin and the Semantic Differential. *Journal of Behavioral Therapy and Experimental Psychiatry*, 25, 49-59.
- Braithwaite, J., Watson, D. G., Jones, R., Rowe, M. (2013) A guide for analyzing electrodermal activity (EDA) & skin conductance responses (SCRs) for psychological experiments. Technical Report: selective attention & awareness laboratory (SAAL) Behavioural brain sciences centre, University of Birmingham, UK.
- Bonnardel, N. (2012). Designing future products: What difficulties do designers encounter and how can their creative process be supported? *Work*, 41, 5296-5303.
- Bonnardel, N. (2011). Cognition and emotion in creative design. In S. Masmoudi, D. Yun Dai & A. Naceur (Eds.). *Attention, Representation, and Human Performance: Integration of Cognition, Emotion, and Motivation* (pp. 187-200), New York: Psychology Press (Taylor & Francis Group).
- Bonnardel, N., & Moscardini, L. (2012). Toward a situated cognition approach to design: Effect of emotional context on designers' ideas. *Proceedings of the 30th annual Conference of the European Association of Cognitive - ECCE 2012* (pp. 15-21). Edinburgh, U.K.
- Bonnardel, N., Piolat, A., & Le Bigot, L. (2011). The impact of colour websites on appealing and users' cognitive processes. *Displays*, 32, 69-80.
- Cyr, D., Head, M., Larios, H. (2010). Colour appeal in website design within and across cultures: A multi-method evaluation, *International Journal of Human-Computer Studies*. 68, 1-21.
- Dan-Glauser, E. S., & Scherer, K. R. (2010). The Geneva Affective PicturE Database (GAPED): A new 730 picture database focusing on valence and normative significance.
- Davis, M. A. (2009). Understanding the relationship between mood and creativity: A meta-analysis. *Organizational Behavior and Human Decision Processes*, 108(1), 25-38.
- Desmet, P. M. A. (2003). A Multilayered Model of Product Emotions. *The Design Journal*, 6, 4-13.
- D'Mello, S. K. & Graesser, A. C. (2012). Dynamics of affective states during complex learning. *Learning and Instruction*, 22, 145-157.
- Easterbrook, J. A. (1959). The effects of emotion on cue utilization and the organization of behavior. *Psychological Review*, 66, 183-201.
- Ekman, P. (1970). Universal facial expressions of emotion. *California Mental Health Research Digest*, 8, 151-158.
- Eysenck, M. W. (1982). *Attention and Arousal*. New York: Springer-Verlag.
- Frijda, N. H. (1986). *The emotions*. London: Cambridge University Press.
- Gil, S. (2009). Comment mesurer les émotions en laboratoire ? *Revue électronique de Psychologie Sociale*, 4, 15-24.

- Halberstadt, J. B., Niedenthal, P. M., & Kushner, J. (1995). Resolution of lexical ambiguity by emotional state. *Psychological Science*, 6, 278-282.
- Humphreys, M. S., & Revelle, W. (1984). Personality, motivation, and performance: A theory of the relationship between individual differences and information processing. *Psychological Review*, 91, 153–184.
- Jolland, M. (2012). Comment prédire la créativité auto-perçue à partir du stress de l'état émotionnel et du bien-être ? Une approche exploratoire. Mémoire de Recherche. Aix-Marseille Université.
- Kokkonen, M., & Pulkkinen, L. (2001). Examination of the paths between personality, current mood, its evaluation, and emotion regulation. *European Journal of Personality*, 15, 83-104.
- Lafleur, J., Béliveau, R., (1994). *Les quatre clés de l'équilibre personnel*. Montréal : Editions Logiques
- Mandler, G. (1982). The structure of Value; Accounting for Taste, in T. Tighe & al (Eds.). *Affect and Cognition: The 17th Annual Carnegie Symposium* (pp. 3-36), Hillsdale, NJ (Lawrence Erlbaum Associate)
- Massé, R., Poulin, C., Dassa, C., Lambert, J., Bélair, S. et Battaglini, A. (1998). The Structure of mental health: higher-order confirmatory factor analyses of psychological distress and well-being measures. *Social Indicators Research*, 45: 475-504.
- Mayer, J. D., & Gaschke, Y. N. (1988). The experience and meta-experience of mood. *Journal of Personality and Social Psychology*, 55, 102-111
- Mehrabian, A. (1996). Pleasure-Arousal-Dominance: A General Framework for Describing and Measuring Individual Differences in Temperament. *Current Psychology: Developmental - Learning - Personality - Social* 14. 261-292.
- Noldus (n.d.). Retrieved February 10, 2014, from <http://www.noldus.com>.
- Norman, D.A. (2002) Emotion and design: Attractive things work better, *Interactions Magazine*. IX, 36-42.
- Norman, D.A. (2002). *The design of everyday things*. New York, NY: Basic Books.
- Norman, D.A. (2005) *Emotional design: Why We Love (or Hate) Everyday Things*. New York, NY: Basic Books.
- Park, J., & Banaji, M. R. (2000). Mood and heuristics: The influence of happy and sad states on sensitivity and bias in stereotyping. *Journal of Personality and Social Psychology*, 78. 1005–1023.
- Plutchck, R. (1980). *Emotion: Theory, research, and experience: Vol. 1. Theories of emotion*, 1, New York: Academic
- Russell, J. A. (1980). A circumplex model of affect. *Journal of Personality and Social Psychology*, 39. 1161-1178.
- Russell, J. A., & Barrett, L. F. (1999). Core Affect, Prototypical Emotional Episodes, and Other Things Called Emotion: Dissecting the Elephant. *Journal of Personality and Social Psychology*, 76. 805-819.
- Russell, J. (2003). Core Affect and the Psychological Construction of Emotion. *Psychological Review*, 110. 145-172.
- Sanabria, J. C., Cho, Y., Sambai, A., & Yamanaka, T. (2012). Image-Word Pairing-Congruity Effect on Affective Responses. *Kansei Engineering International Journal*, 11. 91-100.
- Sanna, L. J. (1998). Defensive pessimism and optimism. *Cognition and Emotion*, 12. 635-665.
- Schachter, S. (1959). *The Psychology of Affiliation*. Stamford: Stamford University Press.
- Scherer, K. R. (2005). What are emotions? And how can they be measured? *Social Science Information* 44. 695-729.
- Scherer, K. R., & Tannenbaum, P. H. (1986). Emotional Experiences in Everyday Life. *Motivation and Emotion*, 10(4), 295–314.
- Shneiderman, B. (2004). Designing for fun: How can we design user interfaces to be more fun? *Interactions*. September-October, 48-50.
- Shneiderman, B., & Pleasant, C. (2005). *Designing the User Interface: Strategies for Effective Human-Computer Interaction* (4<sup>th</sup>), Boston, MA: Addison Wesley.
- SKIPPI (n.d.). Retrieved February 10, 2014, from <http://www.skippiproject.com>.
- Strongman, K. (2003). *The Psychology of Emotions*. Chichester: Wiley.

Schwarz, N., & Bless, H. (1991). Happy and mindless, but sad and smart? The impact of affective states on analytic reasoning. In J. P. Forgas (Ed.), *Emotion and social judgments*. 55-71. Oxford, England: Pergamon Press.

The Fun Theory (2009.). Retrieved February 14, 2014, from <http://www.thefuntheory.com/piano-staircase>.

Vakratsas, D., & Ambler, T. (1999). How advertising works: What do we really know? *Journal of Marketing*, 63, 26-43.

## **BIOGRAPHY**

Damien LOCKNER worked as an urban designer before gradually turning towards print and web design. He has worked as a freelance since 2004. He passed a master degree of cognitive psychology specialized in ergonomics in 2010. He is now a PhD candidate at PSYCLE, Aix-Marseille University, and participates to the SKIPPI project as an ergonomist. His research is directed by Nathalie BONNARDEL, and is related to the ways interface design may elicit end-users' positive emotions.

Nathalie BONNARDEL is a Full Professor in Cognitive Ergonomics at the Aix-Marseille University (Aix-en-Provence, France). She is the Director of the Department of Cognitive and Experimental Psychology as well as the Director of the Master's degree in Cognitive Ergonomics. She conducts her studies at the Research Center in Psychology of Cognition, Language and Emotion (PSYCLE). Her research aims at analyzing cognitive processes involved in the design of systems or products and in the use of interactive systems. Such results allow both a better understanding of cognitive processes and proposals for supporting human activities, especially through the use of computational systems.