

REFERENCES

- [1] J.Hadermann. "Transposition in stator bars of large turbo generator" IEEE Transaction on Energy conversion, vol.19, 2004, pp.553-560
- [2] Toma Dordea, Valentin Muller, Leana Jorac, Ghroge Madescue, Martian Mot, Lucian Ocolisian. "Analytical method for the optimization of Roebel bars compose of full elementary conductors" Romanian Academy, 300223 Timisoara, bd, viteazul nv24,2006.
- [3] M.fujita, Y.Kabata, T.Tokumasu, M.Kakiuchi, H.shiomi, S.Nagano. "Air cooled large turbine generator with multiple pitched ventilation ducts" IEEE International conference, 9054152, 2005, pp.910-917.
- [4] Chen Shu-xin; Fan Ming-Qing. "Optimization of hydrogen cooled turbo-generator rotor wedge cooling method" IEEE Conference Publications" vol.12242752, 2011, pp.497-500
- [5] Jibin Zou; Bo Zao; Yongxiang Xu; Jing Shang; Weiyan Liang. "A New End Windings Transposition to Reduce Windings Eddy Loss for 2 MW Direct Drive Multi-Unit PMSM" IEEE Journals & Magazines, vol13056910, 2012, pp.3323-3326
- [6] K. Takahashi, M. Takahashi, M. Sato, "Calculation method for strand current distributions in armature windings of a turbine generator", Electrical Engineering in Japan, Vol. 143, pp. 50–58, 2003
- [7] Sheng Xia, Yingying Yao, "Optimization of Transposition in Stator Bars of Hydro-generators" School of Electrical Engineering Zhejiang University Hangzhou, China, IEEE Conference Publications, vol. 13034920,2012,pp.1-4