

- S. Ohyama, & Kishida, H. 1998. Physical mixture of CuO and Cr₂O₃ as an active catalyst component for low-temperature methanol synthesis via methyl formate. *Applied Catalysis A: General*, 172(2), 241-247. doi:[http://dx.doi.org/10.1016/S0926-860X\(98\)00135-5](http://dx.doi.org/10.1016/S0926-860X(98)00135-5)
- G. A. Olah. 2005. Beyond Oil and Gas: The Methanol Economy. *Angewandte Chemie International Edition*, 44(18), 2636-2639. doi:10.1002/anie.200462121
- U. Olsbye, Svelle, S., Bjørgen, M., Beato, P., Janssens, T. V. W., Joensen, F., . . . Lillerud, K. P. 2012. Conversion of Methanol to Hydrocarbons: How Zeolite Cavity and Pore Size Controls Product Selectivity. *Angewandte Chemie International Edition*, 51(24), 5810-5831. doi:10.1002/anie.201103657
- D.-Y. Peng, & Robinson, D. B. 1976. A New Two-Constant Equation of State. *Industrial & Engineering Chemistry Fundamentals*, 15(1), 59-64. doi:10.1021/i160057a011
- P. Rao, & Muller, M. 2007. *Industrial Oxygen, Its Generation and Use*. Paper presented at the Energy Efficiency in Industry.
- A. P. E. York, Xiao, T., & Green, M. L. H. 2003. Brief Overview of the Partial Oxidation of Methane to Synthesis Gas. *Topics in Catalysis*, 22(3), 345-358. doi:10.1023/A:1023552709642